

# **Common Metadata 'md' namespace**

---

## CONTENTS

1	Introduction .....	1
1.1	Overview of Common Metadata .....	1
1.2	Document Organization .....	1
1.3	Document Notation and Conventions .....	2
1.3.1	XML Conventions .....	2
1.3.2	General Notes .....	3
1.4	Normative References .....	4
1.5	Informative References .....	4
2	Identifiers .....	6
2.1	Identifier Structure .....	6
2.1.1	ID Simple Types .....	7
2.2	Asset Identifiers .....	7
2.2.1	ContentID .....	7
2.2.2	APID .....	9
2.3	Organization ID .....	9
3	General Types Encoding .....	10
3.1	Language Encoding .....	10
3.2	Region encoding .....	10
3.3	Date and Time encoding .....	10
3.3.1	Duration .....	10
3.3.2	Time .....	11
3.3.3	Dates and times .....	11
3.3.4	Date and time ranges .....	11
3.4	String encoding .....	12
3.5	Organization Naming .....	12
3.6	People Naming and Identification .....	12
3.6.1	PersonName-type .....	12
3.6.2	PersonIdentifier-type .....	13
3.7	Currency .....	13
3.8	Role Encoding, Role-type .....	14
3.9	Keywords Encoding .....	14
3.9.1	Name/Value Pairs, NVPair-type .....	14
3.10	Personal/Corporate Contact Information, ContactInfo-type .....	14
4	Basic Metadata .....	15
4.1	BasicMetadata-type .....	15
4.1.2	BasicMetadataInfo-type .....	20
4.1.3	ContentIdentifier-type .....	24
4.1.4	BasicMetadataPeople-type .....	24
4.2	Composite Object .....	27
4.2.1	CompObj-type .....	28
4.2.2	CompObjID-type .....	28
4.2.3	CompObjData-type .....	28

---

4.2.4	Comp-ObjEntry-type.....	28
5	Digital Asset Metadata.....	30
5.1	Digital Asset Metadata Description.....	30
5.2	Definitions.....	30
5.2.1	DigitalAssetMetadata-type.....	30
5.2.2	DigitalAssetAudioData-type.....	30
5.2.3	DigitalAssetAudioEncoding-type.....	32
5.2.4	DigitalAssetVideoData-type.....	34
5.2.5	DigitalAssetVideoEncoding-type.....	35
5.2.6	DigitalAssetVideoPicture-type.....	37
5.2.7	DigitalAssetSubtitleData-type.....	38
5.2.8	DigitalAssetImageData-type.....	40
5.2.9	DigitalAssetInteractiveData-type.....	40
6	Container Metadata.....	41
6.1	Container Metadata Description.....	41
6.2	Definitions.....	41
6.2.1	ContainerMetadata-type.....	41
6.2.2	ContainerProfile-type.....	43
7	Content Ratings.....	44
7.1	Description.....	44
7.2	Rules.....	44
7.2.1	“Unrated”.....	44
7.3	Definition.....	44
7.3.1	ContentRating-type.....	44
7.3.2	ContentRatingDetail-type.....	45
8	Content Rating Encoding.....	47
9	Selected Examples.....	58
9.1	People Name Examples.....	58
9.2	Release History Example.....	62
9.3	Content Rating Examples.....	63

**NOTE:** No effort is being made by the Motion Picture Laboratories to in any way obligate any market participant to adhere to Common Metadata. Whether to adopt the Common Metadata in whole or in part is left entirely to the individual discretion of individual market participants, using their own independent business judgment. Moreover, Motion Picture Laboratories disclaims any warranty or representation as to the suitability of the Common Metadata for any purpose, and any liability for any damages or other harm you may incur as a result of subscribing to this Common Metadata.

---

## REVISION HISTORY

Version	Date	Description
1.0	January 5, 2010	Original Version
1.1	January 6, 2011	Incorporates corrections.
1.2	November 1, 2011	Incorporates corrections and enhancements, primarily to support derived specifications.
1.2a	May 29, 2012	Editorial correction to image column and width references. No schema change. Added type description for ID types already in schema. Added 'DTS-EXPRESS' to audio Codec.

---

## 1 INTRODUCTION

The B2B transfer of media requires metadata to describe that media. Several activities underway at the time of this document's authoring have metadata needs that overlap. This document in conjunction with associated XML schemas defines the content and one possible encoding of such data.

This is designed as a resource. Those using this specification may extend the definition with additional data element specific for their needs. They may replace elements with others perhaps more suitable to their needs; however, for interoperability all are highly encouraged to use the data elements exactly as defined.

### 1.1 Overview of Common Metadata

Common Metadata includes elements that cover typical definitions of media, particularly movies and television. Common Metadata has two parts: Basic Metadata and Digital Asset Metadata. Basic Metadata includes descriptions such as title and artists. It describes information about the work independent of encoding. Digital Asset metadata describes information about individual encoded audio, video and subtitle streams, and other media included. Package and File Metadata describes one possible packaging scenario and ties in other metadata types. Ratings and Parental Control information is described.

Common Metadata is designed to provide definitions to be inserted into other metadata systems. A given metadata scheme, for example, the Entertainment Merchant's Association (EMA) may select element of the Common Metadata to be used within its definitions. EMA would then define additional metadata to cover areas not included in Common Metadata.

### 1.2 Document Organization

This document is organized as follows:

1. Introduction—Provides background, scope and conventions
2. Identifiers—Specification of identifiers used to reference metadata.
3. General Types Encoding—Specific of encoding methods (e.g., language, region).
4. Basic Metadata—Content descriptive metadata definition
5. Digital Asset Metadata—Encoded media metadata definition
6. Content Rating—Methods for encoding content ratings
7. Content Rating Encoding—Encoding for content rating information for various rating systems

---

## 1.3 Document Notation and Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119]. That is:

- “MUST”, “REQUIRED” or “SHALL”, mean that the definition is an absolute requirement of the specification.
- “MUST NOT” or “SHALL NOT” means that the definition is an absolute prohibition of the specification.
- “SHOULD” or “RECOMMENDED” mean that there may be valid reasons to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
- “SHOULD NOT” or “NOT RECOMMENDED” mean that there may be valid reasons when the particular behavior is acceptable, but the full implications should be understood and the case carefully weighed before implementing any behavior described with this label.
- “MAY” or “OPTIONAL” mean the item is truly optional, however a preferred implementation may be specified for OPTIONAL features to improve interoperability.

Terms defined to have a specific meaning within this specification will be capitalized, e.g. “Track”, and should be interpreted with their general meaning if not capitalized.

Normative key words are written in all caps, e.g. “SHALL”

### 1.3.1 XML Conventions

XML is used extensively in this document to describe data. It does not necessarily imply that actual data exchanged will be in XML. For example, JSON may be used equivalently.

This document uses tables to define XML structure. These tables may combine multiple elements and attributes in a single table. Although this does not align with schema structure, it is much more readable and hence easier to review and to implement.

Although the tables are less exact than XSD, the tables should not conflict with the schema. Such contradictions should be noted as errors and corrected.

#### 1.3.1.1 Naming Conventions

This section describes naming conventions for Common Metadata XML attributes, element and other named entities. The conventions are as follows:

- Names use initial caps, as in InitialCaps.
- Elements begin with a capital letter, as in InitialCapitalElement.
- Attributes begin with a lowercase letter, as in initialLowercaseAttribute.

- XML structures are formatted as Courier New, such as `md:rightstoken`
- Names of both simple and complex types are followed with “-type”

### 1.3.1.2 Structure of Element Table

Each section begins with an information introduction. For example, “The Bin Element describes the unique case information assigned to the notice.”

This is followed by a table with the following structure.

The headings are

- Element—the name of the element.
- Attribute—the name of the attribute
- Definition—a descriptive definition. The definition may define conditions of usage or other constraints.
- Value—the format of the attribute or element. Value may be an XML type (e.g., “string”) or a reference to another element description (e.g., “See Bar Element”). Annotations for limits or enumerations may be included (e.g., “int [0..100]” to indicate an XML `xs:int` type with an accepted range from 1 to 100 inclusively)
- Card—cardinality of the element. If blank, then it is 1. Other typical values are 0..1 (optional), 1..n and 0..n.

The first row of the table after the header is the element being defined. This is immediately followed by attributes of this element, if any. Subsequent rows are child elements and their attributes. All child elements (i.e., those that are direct descendants) are included in the table. Simple child elements may be fully defined here (e.g., “Title”, “”, “Title of work”, “`xs:string`”), or described fully elsewhere (“POC”, “”, “Person to contact in case there is a problem”, “`md:ContactInfo-type`”). In this example, if POC was to be defined by a complex type defined as `md:ContactInfo-type`. Attributes immediately follow the containing element.

Accompanying the table is as much normative explanation as appropriate to fully define the element, and potentially examples for clarity. Examples and other informative descriptive text may follow. XML examples are included toward the end of the document and the referenced web sites.

### 1.3.2 **General Notes**

All required elements and attributes must be included.

When enumerations are provided in the form ‘enumeration’, the quotation marks (‘’) should not be included.

UTF-8 [RFC3629] encoding shall be used when ISO/IEC 10646 (Universal Character Set) encoding is required.

---

## 1.4 Normative References

- [RFC2141] R. Moats, *RFC 2141, URN Syntax*, May 1997, <http://www.ietf.org/rfc/rfc2141.txt>
- [RFC3629] Yergeau, F., et al, *RFC 3629, UTF-8, a transformation format of ISO 10646*, November, 2003. <http://www.ietf.org/rfc/rfc3629.txt>
- [RFC3986] Berners-Lee, T., et al, RFC 3986, Uniform Resource Identifier (URI): Generic Syntax, January 2005, <http://www.ietf.org/rfc/rfc3986.txt>
- [RFC5646] Philips, A, et al, *RFC 5646, Tags for Identifying Languages*, IETF, September, 2009. <http://www.ietf.org/rfc/rfc5646.txt>
- [IANA-LANG] IANA Language Subtag Registry. <http://www.iana.org/assignments/language-subtag-registry>
- [ISO3166-1] Codes for the representation of names of countries and their subdivisions -- Part 1: Country codes, 2007.
- [ISO3166-2] ISO 3166-2:2007 Codes for the representation of names of countries and their subdivisions -- Part 2: Country subdivision code
- [ISO4217] Currency shall be encoded using ISO 4217 Alphabetic Code. [http://www.iso.org/iso/currency\\_codes\\_list-1](http://www.iso.org/iso/currency_codes_list-1)
- [ISO8601] ISO 8601:2000 Second Edition, *Representation of dates and times, second edition*, 2000-12-15.
- [CEA766] ANSI/CEA-766-C, U.S. and Canadian Rating Region Tables (RRT) and Content Advisory Descriptors for Transport of Content Advisory Information Using ATSC Program and System Information Protocol (PSIP). April 2008.

## 1.5 Informative References

[RFC4647] Philips, A., et al, *RFC 4647, Matching of Language Tags*, September 2006. <http://www.ietf.org/rfc/rfc4647.txt>

European Broadcast Union, Tech 3295 – P\_META Metadata Library, [http://www.ebu.ch/en/technical/metadata/specifications/notes\\_on\\_tech3295.php](http://www.ebu.ch/en/technical/metadata/specifications/notes_on_tech3295.php)

The following metadata standards activities have numerous associated specifications. Rather than listing each specification, sites where specifications can be found are listed.

- AMPAS – Academy of Motion Picture Arts and Sciences <http://www.oscars.org/science-technology/council/projects/index.html>
- SMPTE Metadata Dictionary: <http://www.smp-te-ra.org/mdd/>
- MPEG – Motion Pictures Experts Group
- MHP – DVB Multimedia Home Platform
- CableLabs VOD Metadata 2.0 <http://www.cablelabs.com/specifications/md20.html>
- Dublin Core Metadata Initiative: <http://dublincore.org/>.



- 
- TV Anytime (ETSI) <http://www.etsi.eu/WebSite/Technologies/TVAnytime.aspx>
  - PBCore: [www.pbcore.org](http://www.pbcore.org)
  - Vocabulary Mapping Framework: <http://cdlr.strath.ac.uk/VMF/index.htm>

---

## 2 IDENTIFIERS

Identifiers and metadata are closely linked. In essence, all identifiers have corresponding metadata that describes the object being identified. Just as it is useful to distinguish between different kinds of objects with different kinds of identifiers, it is useful to distinguish the metadata in terms of those same objects.

The primary objects being identified and described in metadata are:

- Content – Content ID (ContentID)
- Encoded Stream – Physical Asset (Asset Physical ID; APID)

### 2.1 Identifier Structure

Common Metadata identifiers use the general structure of the “urn:” URI scheme as discussed in RFC 3986 (URN) and RFC 3305 with a “md” namespace identifier (NID). However, for Common Metadata, rather than the fully articulated “urn:md” we abbreviate to “md:”. The basic structure for a Common Metadata ID is

`<MDID> ::= “md:”<type> “:”<scheme>“:”<SSID>`

- `<type>` is the type of identifier. These are defined in sections throughout the document defining specific identifiers.
- `<scheme>` is either a Common Metadata recognized naming scheme (e.g., “ISAN”) or “org:” non-standard naming. These are specific to ID type and are therefore discussed in sections addressing IDs of each type.
- `<SSID>` (scheme specific ID) is a string that corresponds with IDs in scheme `<scheme>`. For example, if the scheme is “ISAN” then the `<SSID>` would be an ISAN number.

There is a special case where `<scheme>` is “org”. This means that the ID is assigned by a recognized organization within their own naming conventions. If `<scheme>` is “org” then

`<SSID> ::= <organization><UID>`

- `<organization>` is a unique name assigned to an organization, with the following rules:
  - Organization is defined as domain name. For example, `movielabs.com` becomes `md:org:movielabs.com:...` and `bbc.co.uk` becomes `md:org:bbc.co.uk:...`
  - Other naming schemes may be used in contexts where names can be assigned within the scope of ID usage.
- `<UID>` is a unique identifier assigned by the organization identified in `<organization>`. Organizations may use any naming convention as long as it complies with RFC 3986 syntax.

Some sample identifiers are

- ContentID: `md:cid:EIDR:10.5240%2ff592-58D1-A4D9-E968-5435-L`
- Content ID: `md:cid:ISAN: 0000-3BAB-9352-0000-G-0000-0000-Q`
- Content ID: `md:cid:org:MYSTUDIO:12345ABCDEF`

### 2.1.1 ID Simple Types

The simple type `md:id-type` is the basic type for all IDs. It is XML type `xs:anyURI`. All identifiers are case insensitive and should be registered in canonical format and case sensitive identifiers should not be used.

The simple types `ContentID-type`, `AssetLogicalID-type` and `AssetPhysicalID-type` are defined as `md:id-type` and can be used when a more specific designation is required.

## 2.2 Asset Identifiers

Content Identifiers are assigned by the content owner or its designee. The following scheme provides flexibility in naming while maintaining uniqueness.

Common Metadata defines two types of asset identifiers:

- A Content Identifier (ContentID) denotes an abstract representation of a content item.
- Asset Physical Identifier (APID) refers to a physical entity (i.e., a file) that is associated with content.

### 2.2.1 ContentID

Syntax: `"md:cid:"<scheme>":"<SSID>`

A ContentID points to Basic metadata. ContentIDs may refer to abstract items such as shows or seasons, even if there is no separate asset for that entity. A ContentID must be globally unique.

The following restrictions apply to the `<scheme>` and `<SSID>` part of a ContentID:

- A ContentID scheme may not contain the colon character.
- Where display formats exists (i.e., human readable versus computer-readable) use display format.
- ContentID `< scheme>` and ContentID `<SSID>` shall be in accordance with Table 2-1. Additional schemes may be added in the future.

**Table 2-1: Content Identifier Scheme and Value**

Scheme	Expected value for <SSID>
ISAN	An <ISAN> element, as specified in ISO15706-2 Annex D.
TVG	TV Guide
AMG	AMG
IMDB	IMDB

MUZE	Muze
TRIB	Tribune
Baseline	Baseline Research ID, <a href="http://www.baselineresearch.com">www.baselineresearch.com</a>
UUID	A UUID in the form 8-4-4-4-12
URI	A URI; this allows compatibility with TVAnytime and MPEG-21
GRid	A Global Release identifier for a music video; exactly 18 alphanumeric characters
EIDR	Entertainment ID Registry. <a href="http://www.eidr.org">http://www.eidr.org</a>
ISRC	Master recordings, ISO 3901, <a href="http://www.ifpi.org/content/section_resources/isrc.html">http://www.ifpi.org/content/section_resources/isrc.html</a>
ISWC	Musical Works, <a href="http://www.cisac.org">http://www.cisac.org</a>
DOI	Digital Object Identifier <a href="http://www.doi.org">http://www.doi.org</a>
SMPTE-UMID	SMPTE-UMID as per SMPTE ST 330-2004
Ad-ID	Ad-ID as per format defined at <a href="http://www.ad-id.org/help/structure.cfm">http://www.ad-id.org/help/structure.cfm</a>
GTIN	Global Trade Item Number. <a href="http://www.gtin.info/">http://www.gtin.info/</a>
UPC	Universal Product Code (UPC). UPC-E should be converted to UPC-A form.
CRid	CRid (Content Reference Identifier) as per RFC 4078 <a href="http://tools.ietf.org/html/rfc4078">http://tools.ietf.org/html/rfc4078</a>
cIDf	Content ID Forum. cIDf Specification 2.0, Rev 1.1., 4/1/2007.
file	Indicates that the identifier that follows is a local file name.
org	<SSID> begins with the Organization ID of the assigning organization and follows with a string of characters that provides a unique identifier. The <ssid> must conform to RFC 3986 with respect to valid characters. In the absence of agreements between parties using IDs of this form, we recommend the use of an organization DNS domain (e.g., movielabs.com).

Identifiers that contain URI shall use Percent-Encoding as per [RFC3986] for characters not allowed in URNs as per [RFC2141]. For example, space (SP) is replaced by '%20' and slash (/) is replaced by '%2F'. For example,

---

EIDR: 10.5240/F592-58D1-A4D9-E968-5435-L

ContentID: md:cid:EIDR:10.5240%2fF592-58D1-A4D9-E968-5435-L

### 2.2.2 APID

Syntax: “md:apid:< scheme>“:”<SSID>“:”<extension>

An APID is constrained as follows:

- Each APID is globally unique

The following restrictions apply to the <scheme>, <SSID> and <extension> part of an APID:

- An APID scheme may not contain the colon character
- Where display formats exists (i.e., human readable versus computer-readable) use display format.
- APID < scheme> and APID <SSID> shall be structured the same as ContentID
- <extension> is additional characters appended to the APID and may not contain colons

For example

- ContentID: md:cid:file:greatmedia.mp4
- ContentID: md:cid:ISAN:0000-3BAB-9352-0000-G-0000-0000-Q:p1

Note that APIDs may be constructed from ContentIDs. For example:

- ContentID: md:cid:org:MyCompany:ABCDEFGH  
APID: md:apid:org:MyCompany:ABCDEFGH:100
- ContentID: md:cid:ISAN:0000-3BAB-9352-0000-G-0000-0000-Q  
APID: md:apid:ISAN:0000-3BAB-9352-0000-G-0000-0000-Q:A203

## 2.3 Organization ID

Common Metadata assumes one additional type be provided. That is an Organization ID (OrgID). md:orgID-type is a simple type of type md:id-type.

Currently, there is not an adequate global identification scheme, so this element should be used only if both the sending and receiving parties have an a priori agreement regarding the contents of this ID.

### 3 GENERAL TYPES ENCODING

#### 3.1 Language Encoding

Language shall be encoded in accordance with RFC 5646, *Tags for Identifying Languages* [RFC5646]. The subtags that are available for use with RFC 5646 are available from the Internet Assigned Numbers Authority (IANA) at [IANA-LANG] <http://www.iana.org/assignments/language-subtag-registry>.

Matching, if applicable, should be in accordance with RFC 4647, *Matching Language Tags*, [RFC4647].

The xs:language type shall be used for languages. Language should be as specific as possible; for example, ‘ja-kata’ is preferable to ‘ja’.

#### 3.2 Region encoding

Region coding shall use the ISO 3166-1 two-letter alpha-2 codes [ISO3166-1]. Informally described here: [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_alpha-2](http://en.wikipedia.org/wiki/ISO_3166-1_alpha-2).

When subdivisions are required, ISO3166-2 shall be used [ISO3166-2]. Informally described here: [http://en.wikipedia.org/wiki/ISO\\_3166-2](http://en.wikipedia.org/wiki/ISO_3166-2).

Common Metadata shall use the following type for region:

Element	Attribute	Definition	Value	Card.
<b>Region-type</b>				
country		ISO 3166-1 Alpha 2 code	xs:string Pattern: “[A-Z][A-Z]”	(choice)
countryRegion		ISO 3166-2 Code	xs:string Pattern: “[A-Z][A-Z]-[0-9A-Z]+”	(choice)

#### 3.3 Date and Time encoding

Date and time encoding shall use the XML rules. That is, where ISO 8601 [ISO8601] deviates from XML encoding, XML encoding shall apply.

##### 3.3.1 Duration

Durations are represented using xs:duration. xs:time should not be used for duration.

### 3.3.2 Time

xs:time is used for a recurring time.

### 3.3.3 Dates and times

XML is fairly rigid in its date and time encoding rules. Specifically, it is difficult to have a single element where resolution may range from ‘year’ to ‘date’ to ‘time’. In some instances such as air dates/time, resolution might be year (movie released in 1939), date (movie released on December 25, 2009), or date and time (episode aired November 6, 2001, or November 6, 2001 EST).

- Year encoding uses xs:gYear (Gregorian year)
- Date encoding (year, month and day) uses xs:date
- Date encoding that includes both date and time shall uses xs:dateTime

Time zone should be included with xs:dateTime elements to avoid ambiguity. If representing a single point in time with no relevant time zone, Coordinated Universal Time (UTC) should be used.

In some cases, there are options for including year, date and date-time. Optional elements should be included if known and relevant.

As of version 1.2 of this specification, a new type has been define to support elements that require year, date (year and day), or time (including date) without a priori knowledge of the resolution. This simple type is YearDateOrTime-type.

Element	Attribute	Definition	Value	Card.
YearDateOrTime-type		A simple type that syntactically allows the inclusion of a year, a date or a date-time.	xs:union with memberTypes of xs:gYear, xs:date, xs:dateTime	

### 3.3.4 Date and time ranges

Date Ranges may be encoded using the DateTimeRange-type:

Element	Attribute	Definition	Value	Card.
DateTimeRange				
Start		Start of time period	xs:dateTime	
End		End of time period	xs:dateTime	

### 3.4 String encoding

String lengths are specified in characters (rather than bytes) unless otherwise stated. A string using double-byte Unicode characters can result in string elements whose actual size in bytes is larger than the stated length.

### 3.5 Organization Naming

Organization names shall include both a user-friendly display name and a sortable name. If the display name and the sort name are the same, the `SortName` element may be excluded.

Element	Attribute	Definition	Value	Card.
<b>OrgName-type</b>				
	organizationID	Organization's unique ID	md:orgID-type	0..1
DisplayName		General display format. Safest to use as it accommodates various permutation on the name.	xs:string	
SortName		Sortable version of name. This will often be last name first. This may be displayed.	xs:string	0..1

### 3.6 People Naming and Identification

This section describes the internationalized naming approach used for encoding metadata. This section also defines person identification for the purposes of metadata.

#### 3.6.1 PersonName-type

Element	Attribute	Definition	Value	Card.
<b>PersonName-type</b>				
DisplayName		Person's name for display purposes.	xs:string	1..n
	language	Language of DisplayName. There may be multiple instances of DisplayName, but only with unique language attributes.	xs:language	0..1
SortName		Name used to sort. May be excluded if identical to DisplayName.	xs:string	0..n



	language	Language of SortName. There may be multiple instances of SortName, but only with unique language attributes.	xs:language	0..1
FirstGivenName		First name	xs:string	0..1
SecondGivenName		Second name	xs:string	0..1
FamilyName		Family name	xs:string	0..1
Suffix		Suffix	xs:string	0..1
Moniker		Alternative name, usually of the form <FirstGivenName> "<Moniker>" <FamilyName> (e.g., <i>Scatman</i> in <i>Benjamin Sherman</i> " <i>Scatman</i> " <i>Crothers</i> ).	xs:string	0..1

### 3.6.2 PersonIdentifier-type

Assuming there is an identifier associated with the person, this structure holds information about that identifier.

Element	Attribute	Definition	Value	Card.
<b>PersonIdentifier-type</b>				
Identifier		Identifier associated with this individual within the Namespace	xs:string	
Namespace		Namespace for identifier.	xs:string	
ReferenceLocation		Location associated for the identifier within the namespace. This is expected to be an online reference to information about the individual.	xs:anyURI	

### 3.7 Currency

Currency shall be encoded using ISO 4217 Alphabetic Code [ISO4217].

[http://www.iso.org/iso/currency\\_codes\\_list-1](http://www.iso.org/iso/currency_codes_list-1)

### 3.8 Role Encoding, Role-type

Roles shall be encoded in accordance with ‘Term’ column of EBU Role codes found here: [http://www.ebu.ch/metadata/cs/web/ebu\\_RoleCodeCS\\_p.xml.htm](http://www.ebu.ch/metadata/cs/web/ebu_RoleCodeCS_p.xml.htm), plus “Other Group” and “Other” (referring to an unclassified individual).

Roles are defined in the simple type md:Role-type.

The JobFunction element allows for alternate schemes, however the scheme attribute is not supported at this time. At a future release, alternate schemes may be defined.

### 3.9 Keywords Encoding

Keywords are often culturally specific, so different keywords may exist for different regions. At this time, no keywords are defined.

#### 3.9.1 Name/Value Pairs, NVPair-type

Use of Name/Value pairs provides considerable flexibility for growth. The NVPair-type complex type allows for any additional business data to be included in tuple format.

Element	Attribute	Definition	Value	Card.
<b>NVPair-type</b>				
Name		Identification of the parameter being specified	xs:string	
Value		Value specified for Name.	xs:string	

### 3.10 Personal/Corporate Contact Information, ContactInfo-type

Element	Attribute	Definition	Value	Card.
<b>ContactInfo-type</b>				
Name		Person or point of contact	xs:string	
PrimaryEmail		Primary email address for user.	xs:string	
AlternateEmail		Alternate email addresses, if any	xs:string	0..n
Address		Mail address	xs:string	0..n
Phone		Phone number. Use international (i.e., +1 ...) format.	xs:string	0..n

## 4 BASIC METADATA

Basic Metadata is a set of data that are essentially ubiquitous in content systems. They may be used throughout.

### 4.1 BasicMetadata-type

Element	Attribute	Definition	Value	Card.
<b>BasicMetadata-type</b>				
	ContentID	Content ID in Section 2.	md:ContentID-type	
UpdateNum		Version. Initial release should be 1. This is a value assigned by the metadata creator that should only be incremented if a new version of metadata is released. If absent, 1 is to be assumed. This is assigned by the metadata originator.	xs:int	0..1
LocalizedInfo		Instances of localized metadata.	md:BasicMetadataInfo-type	1..n
RunLength		Approximate Runlength of the referenced work (not the original product). Resolution SHALL be at least minutes. Resolution should be seconds or better. For a season or series, this should either be zero or the typical length of an episode. For broadcast, this should be the content length (e.g., an hour show with commercials might have a 44 minute RunLength).	xs:duration	
ReleaseYear		The year of original release. This applies to the version that is being released.	xs:gYear	
ReleaseDate		Year, Date or Date and Time of release or original air date. Adds month and day information to ReleaseYear.	md:YearDateOrTime	0..1
ReleaseHistory		Information about other release	md:ReleaseHistory-type	0..n

Element	Attribute	Definition	Value	Card.
WorkType		Type of the work. See Work Type Enumeration.	xs:string	
PictureColorType		Color type of asset. This SHALL not be included for audio-only assets.	md:ColorType-type	0..1
PictureFormat		A textual description of the aspect ratio format type, as defined below. This field does not contain the actual aspect ratio.	xs:string	0..1
ThreeD		Indicates whether work is in 3D. 'true' means 3D, 'false' or absent means not 3D.	xs:boolean	0..1
AspectRatio		Aspect ratio of active pixels, the form m:n (e.g., 4:3, 16:9, 2:35:1)	xs:string	
FitToActivePixels		The content has been edited to fit the active pixels in the image. This may be cropped, pan-and-scan or other modification.	xs:boolean	0..1
AltIdentifier		Other identifiers for the same content.	md:ContentIdentifier-type	0..n
RatingSet		All ratings associated with this content	md:ContentRating-type	0..1
People		People involved in production, with the exception of alternate language-specific roles (e.g., voice talent for language dubbing)	md:BasicMetadataPeople-type	0..n
CountryOf Origin		The country from where the title originates, ISO3166-1 e.g., "US" for United States. A derived would should refer to the country of the original work.	md:Region-type	
PrimaryLanguage		Primary spoken language of original production. As guidance this can be considered, "The language lips move to."	xs:language	0..n
AssociatedOrg		Organization associated with the asset in terms of production, distribution, broadcast or in another capacity (see below for roles).	md:OrgName-type	0..n

Element	Attribute	Definition	Value	Card.
	role	Role of the associated organization.	xs:string	0..1
SequenceInfo		Indicates how asset fits into sequence	md:ContentSequenceInfo-type	0..1
Parent		Metadata for parent items. Note that this is recursive.	Md:BasicMetadataParent-type	0..n

#### 4.1.1.1 WorkType Enumerations

WorkType shall be enumerated to one of the following (categories are to support the definition, but are not included in the enumeration).

Music related:

- ‘Album’ – A collection of songs
- ‘Song’
- ‘Music Video’ – Music Video, not ‘Performance’
- ‘Ring Tone’
- ‘Other Music’

Film related:

- ‘Movie’ – A full length movie regardless of distribution (e.g., theatrical, TV, direct to disc, etc.) and content (e.g., includes documentaries).
- ‘Short’ – a film of length shorter than would be considered a feature film.

TV, web and mobile related:

- ‘Series’ – a show that might span one or more seasons or might be a miniseries.
- ‘Season’ – a season of a Series. It will contain one more episodes.
- ‘Episode’ – an episodes of a season or miniseries. A pilot is also an episode. If episode is a ‘webisode’, ‘mobisode’ or other specialized sequence, it should be noted in Keywords.
- ‘Non-episodic Show’ – TV or other show that is non-episodic; for example, sports and news.
- ‘Promotion’ – promotional material associated with media. This includes teasers, trailers, electronic press kits and other materials. Promotion is a special case of ‘Ad’.

- ‘Ad’ – any form of advertisement including TV commercials, infomercials, public service announcements and promotions not covered by ‘Promotion’. This does not include movie trailers and teasers even though they might be aired as a TV commercial.

Other:

- ‘Excerpt’ – An asset that consists primarily of portion or portions of another work or works; for example, something having the ‘isclipof’ or ‘iscompositeof’ relationship.
- ‘Supplemental’ – Material designed to supplement another work. For example, and extra associated with a Movie for a DVD.
- ‘Collection’ – A collection of assets not falling into another category. For example, a collection of movies.
- ‘Franchise’ – A collection or combination of other types, for example, a franchise might include multiple TV shows, or TV shows and movies.

Although there is some overlap with Genre, Work Type is not language or culturally specific. Although terms may overlap, the usage does not. For example, the Work Type of ‘Sport’ refers to the capture of a sporting event, where a documentary on sport would have the ‘Non-episodic Show’ work type.

#### 4.1.1.2 ColorType-type

md:ColorType-type enumerates the picture color types. The enumerations are as follows:

- ‘color’ for color. If the work contains color, but is not clearly classified into one of the other categories, it should use the ‘color’ type.
- ‘bandw’ for black and white
- ‘colorized’ for colorized video (i.e., different from the original that is typically black and white).
- ‘composite’ for color composite (e.g., “Sin City”).
- ‘unknown’ for assets based on legacy metadata where color type is not specified.

#### 4.1.1.3 Picture Format Encoding

PictureFormat may be one of the following:

- ‘Letterbox’ – horizontal bars or other background appear above and/or below the picture’s active pixels.
- ‘Pillarbox’ – vertical bars or other background appear to the left and/or right of the picture’s active pixels.

- 
- ‘Full’ – The active pixels fit the full area of the picture (within a few pixels). The entire original image is substantially included. This should not be confused with *fullscreen*, a term that may also refer to Pan and Scan.
  - ‘Stretch’ – The active pixels fit the full area of the picture (within a few pixels). The entire original image is substantially included. The image has been visibly stretched in one dimension to fit (e.g., a 4:3 image stretched to 16:9 frame).
  - ‘Pan and Scan’ – The active pixels the fit full area of the picture (within a few pixels). Part of the original image is not included. This includes fixed cropping, pan-and-scan and other cropping methods.
  - ‘Other’ – A picture format encoding other than the above applies. For example, ‘Smilebox’.

#### 4.1.1.4 UpdateNum

UpdateNum is an integer rather than a string (e.g., “2.3.1”) to simplify ordering. The Content Provider SHALL issue updates with increasing numbers.

#### 4.1.1.5 PrimaryLanguage

PrimaryLanguage is a Primary spoken language spoken in the original production. That is, the language spoken by the actors, or more specifically, the language in which their lips are moving. It should include usage for meaningful dialog, but not an occasional word. For example, the movie *Babel* has multiple PrimaryLanguage elements. The movie *Hunt for Red October*, would have two: English and Russian. The movie *Silent Movie*, even with one word spoken, would have no PrimaryLanguage elements.

#### 4.1.1.6 AssociatedOrg

The AssociatedOrg element provides information about organizational entities involved in the production, distribution, broadcast or other function relating to the asset. Often organizations provide different functions, so multiple organizations can be listed. The role attribute to AssociatedOrg may have one of the following values:

- ‘producer’ – involved in the production of the asset
- ‘broadcaster’ – network associated with asset’s broadcast
- ‘distributor’ – entity involved with distribution
- ‘other’ – any organization that does not fall into the previous categories.

#### 4.1.1.7 Release Information Encoding, ReleaseHistory-type

ReleaseType may include the following values:

- ‘original’ – first worldwide
- ‘Broadcast’
- ‘DVD’

- ‘Blu-ray’
- ‘Hospitality’
- ‘PayTV’ – Premium TV
- ‘InternetBuy’ – Offered for purchase on the Internet.
- ‘InternetRent’ – Offered for rent on the Internet.
- ‘Theatrical’
- ‘VOD’ – Home VOD.

This list may be expanded.

Element	Attribute	Definition	Value	Card.
<b>ReleaseHistory-type</b>				
ReleaseType		Release type as described above	xs:string	
	wide	Whether this release is a wide release, particularly for theatrical	xs:boolean	0..1
DistrTerritory		Where it was released to	md:Region-type	0..1
Date		When title was released. This may be a year, a date or a date and time. Generally, date is preferred over year. Date-time is preferred for broadcast air dates.	md:YearDateOrTime-type	
	scheduled	Date is assumed to be an actual date unless scheduled is included and holds the value ‘true’	xs:boolean	0..1
Description		Description of the release,	xs:string	0..1
ReleaseOrg		Organization involved with this release.	md:OrgName-type	0..n

#### 4.1.2 BasicMetadataInfo-type

This contains language-specific descriptive information.

In accordance of RFC5646, language may be inclusive of both language and character set. If submission uses more than one language or more than one character set, then multiple instances of this element may need to be supplied.



Element	Attribute	Definition	Value	Card.
<b>BasicMetadataInfo-type</b>				
	language	Language for this set of metadata as defined in Section 3.1. language should be as specific as possible (e.g., 'ja-kata' instead of 'ja').	xs:language	
	default	Indicates whether this is a language to use if no other available language is meaningful within the usage context (e.g., the native langue for the user). 'true' indicates yes. 'false' or absence indicates no.	xs:boolean	0..1
TitleDisplay19		A brief version of the feature title (for display) that is up to a maximum length of 19 chars. All UIs SHOULD be able to support display of this field.	xs:string	
TitleDisplay60		An alternate display version from TitleBrief for those UIs that can support longer fields than 19 Characters. This title may be up to 60 characters.	xs:string	0..1
TitleDisplayUnlimited		A display title with no length limit. It is recommended this be limited to no more than 256 characters.	xs:string	0..1
TitleSort		A sortable version of the feature title, e.g., "Incredibles, The" separated by commas.	xs:string	
ArtReference		Reference to art image	xs:anyURI	0..n
	resolution	String in the form <i>colxrow</i> (e.g., 800x600 would mean an image 800 pixels wide and 600 pixels tall).	xs:string	
Summary190		The title description – sentence. (max 190 char)	xs:string	
	cast	Flag to indicate if cast is or is not included in summary description. Missing assumes 'false'.	xs:boolean	0..1
Summary400		The title description -one paragraph, could be used as description in EPG. (max 400 char)	xs:string	0..1
	cast	Flag to indicate if cast is or is not included in summary description. Missing assumes 'false'.	xs:boolean	0..1
Summary4000		The title description – multi-paragraph. (max 4000 char)	xs:string	0..1

	cast	Flag to indicate if cast is or is not included in summary description. Missing assumes 'false'.	xs:boolean	0..1
Display Indicators		Indicators that MAY affect UI display. See Display Indicator Encoding below.	xs:string	0..n
Genre		Subject-matter classification of the show. See Genre Encoding below.	xs:string	0..n
	source	Naming system from which genre is derived.	xs:anyURI	0..1
	id	Identifier for genre used within source	xs:string	0..1
	level	Indicates precedence of genre, with a lower number being high precedence.	xs:integer	0..1
Keyword		Keyword	xs:string	0..n
VersionNotes		A descriptive statement about the reason why this cut was created or what its content represents with reference to other versions of this work. Do not include information about the language of the title in this field. If the cut is for a censor in a particular linguistic region, the region associated with the censor or censor name should be used, i.e., German censor version. VersionNotes may include edits for content, such as "Airplane Version".	xs:string	0..1
Region		The ISO 3166-1 code used to represent the name of the region(s) where the work is intended to be broadcast or shown. The code should be interpreted in a case insensitive manner. Note: Do not use the code "ww" to represent a worldwide region.	md:Region-type	
OriginalTitle		Original title (no size limits).	xs:string	
CopyrightLine		Displayable copyright line.	xs:string	0..1
PeopleLocal		People involved in the localized production, typically local voice actors.	md:BasicMetadataPeople-type	0..n
TitleAlternate		Alternate titles	xs:string	0..n
	type	Type of alternate title	xs:string	0..1
	language	The language of TitleAlternate if different from language attribute for BasicMetadataInfo-type.	xs:language	0..1

## 4.1.2.1 Display Indicator Encoding

The values used for Display Indicator are at the discretion of the Publisher and the Retailer. Examples of values conceived for this element include, “CC”, “DVS”, “P” (season premiere) and “F” (finale).

## 4.1.2.2 Genre Encoding

Genre is culturally and contextually specific, so different genre classifications may exist for different regions. This section presents a few alternatives for genre enumeration. Others will apply. Any genre list may be used.

The source attribute should be used for defined genre sets. It should be a URL that uniquely and unambiguously identifies a genre classification system. Ad hoc genre naming systems should use a URI whose namespace is under the control of the author.

The ‘id’ attribute may be used when a genre has an ID associated with the text string. In this case, the text string goes in the element, and the ID goes in the attribute. For example, using the EBU metadata, when the genre is “Surfing” the ID is “3.2.6.10”.

The level attribute indicates which genres are primary genre, main genre, subgenre, etc. A lower number indicates a higher precedence. Primary should be encoded as ‘0’. Only one instance of a primary should be included for a source.

Following are some genre encoding that may be used. Others may be used as well.

Alternatively, the following genres apply:

Region (Language)	Source	'source' attribute value
United States, Canada (English)	Common Metadata	<a href="http://www.movielabs.com/md/md/common_genre.html">http://www.movielabs.com/md/md/common_genre.html</a>
United States, Canada (English)	Library of Congress, Motion Picture and Television Reading Room	<a href="http://www.loc.gov/rr/mopic/miggen.html">http://www.loc.gov/rr/mopic/miggen.html</a>
Europe	European Broadcast Union (EBU) Tech 3295 – P_META Metadata Library, v 2.0, EBUContentGenre	<a href="http://www.ebu.ch/metadata/cs/web/ebu_ContentGenreCS_p.xml.htm">http://www.ebu.ch/metadata/cs/web/ebu_ContentGenreCS_p.xml.htm</a>
United States, Canada (English), TV	Cable Television Laboratories (CableLabs)	<a href="http://www.cablelabs.com/projects/metadata/downloads/genre_classification_list.pdf">http://www.cablelabs.com/projects/metadata/downloads/genre_classification_list.pdf</a>
Worldwide	Entertainment Merchant's Association (EMA)	<a href="http://www.movielabs.com/md/ema/ema_primary_genre.html">http://www.movielabs.com/md/ema/ema_primary_genre.html</a>

#### 4.1.2.3 TitleAlternate/type Encoding

The following types should be used for the type attribute describing an AlternateTitle element:

- ‘alternative’ – legitimate alternative titles used to refer to the work. Shortened titles and common variations are included in this category. Most alternate titles are in the category.
- ‘misspelling’ – the title with a common misspelling. This should be included rarely, and a comprehensive list of possible misspellings should *not* be included.
- ‘StartsWith’ – search-centric title using convention typically used in Japan

For the movie “Terminator 2: Judgment Day”, ‘alternate’ titles could include “T2”, “Terminator 2”, “Terminator Two”, and “Judgment Day”. A ‘misspelling’ title could include ‘Terminator 2: Judgement Day’.

Alternate titles may include a language attribute to indicate a language different from the language attribute in the parent element. For example, if the LocalizedInfo is in Hiragana and there is a Katakana TitleAlternate with a type of “StartsWith”, the language should be ‘ja-kata’.

#### 4.1.3 ContentIdentifier-type

This is designed to provide a cross reference to all other identifiers associated with this content. ContentIdentifier-type is a simple type based on md:id-type.

Namespace will be any namespace as listed in Table 2-1.

Element	Attribute	Definition	Value	Card.
<b>ContentIdentifier-type</b>				
Namespace		Namespace of identifier from Content ID table in the Identifiers section.	xs:string	
Identifier		Value of identifier.	xs:string	
Location		Reference location for item in the referenced namespace.	xs:anyURI	0..1

#### 4.1.4 BasicMetadataPeople-type

Element	Attribute	Definition	Value	Card.
<b>BasicMetadataPeople-type</b>				
Job		Description of job function and, if applicable, character(s)	md:BasicMetadataJob-type	1..n

Name		Person or entity's name	md:PersonName-type	
Identifier		Formal identifier for this individual.	md:PersonIdentifier-type	0..n
Gender		Female, Male, Neutral, plural (name for group)	xs:string: "male", "female", "neutral" "plural"	0..1

#### 4.1.4.1 BasicMetadataJob-type

Element	Attribute	Definition	Value	Card.
<b>BasicMetadataJob-type</b>				
JobFunction		Role in production of media. Role is encoded in accordance with "Role Encoding" above. This version is displayable, but JobDisplay is preferred if present.	md:Role-type	
	scheme	The Role Scheme if alternate role systems are used.	xs:string	0..1
JobDisplay		Displayable version of Role. This allows metadata encoder to be more specific. For example, while JobFunction allows encoding of "Assistant Cameraman", JobDisplay could be "1st Assistant Cameraman".	xs:string	0..n
	language	Language of JobDisplay. There may be multiple instances of JobDisplay, but only with unique language attributes.	xs:language	0..1
BillingBlockOrder		Order of listing, starting with 1. If missing, implies infinity and may be listed in any order. This need not be contiguous.	xs:int, [1..maxint]	0..1
Character		For actors, what role(s) they are playing. May be more than one.	xs:string	0..n
Guest		Whether this is a guest role (e.g., guest actor). If 'true', Job is as a guest. 'false' or absent is not guest.	xs:boolean	0..1

## 4.1.4.2 BasicMetadataParent-type

This allows parent metadata to be included either by inclusion or reference. Usage rules will define if and when ParentContentID may be used in lieu of Parent. This is an optimization to avoid repeating full metadata sets when multiple objects have the same parent.

Element	Attribute	Definition	Value	Card.
<b>BasicMetadataParent-type</b>				
	relationshipType	The relationship between this asset and its parent as defined below.	xs:string	0..1
Parent		The parent metadata object.	md:BasicMetadata-type	(choice)
ParentContentID		Same as Parent, although included by reference instead of inclusion.	md:ContentID-type	(choice)

The relationshipType attribute may have the following enumerations:

- ‘isclipof’ – The asset is a subset of the larger body that is a contiguous subset of the parent. It may include unique small amounts of pre- and post-material such as new titles and credits. A typical example is a clip extracted from a larger video.
- ‘isepisodeof’ – The asset is an instance of an ordered sequence (i.e., an episode)
- ‘isseasonof’ – The asset is a season and the parent is a show
- ‘ispartof’ – The asset is one complete segment of a larger body not covered by other definitions here. This may include a movie that is part of a series of movies. A song will be part of an album.
- ‘isderivedfrom’—The asset is a modification of the parent work. Some examples include a colorized version derived from a B&W version, and an edit such as a “Director’s Cut” or “Unrated Edition”.
- ‘iscompositeof’ – Asset includes a subset of the parent, such as may be found in a mashup. This contrasts a clip which is a proper subset otherwise unmodified.
- ‘issupplementto’ – is supplemental material. For example, outtakes and makings-of would be supplements.
- ‘ispromotionfor’ – is promotional material, such as a trailer. This is used when the child object has a work type of ‘Promotion’ and it is a promotion for the parent object.

Note that the parent object supplements information in the work—there is no structural or implied inheritance. When parents exist, they should be included either directly or by reference in each BasicMetadata-type element instance.

#### 4.1.4.3 ContentSequenceInfo-type

Describes Sequence, if part of sequence (episode, season, etc.). The actual sequence type is defined by the WorkType element.

Either Number or HouseSequence must be included. An element with HouseSequence but no number indicates the asset is non-sequenced and the HouseSequence is included for reference. This might be the case for a documentary whose airing sequence is irrelevant but the HouseSequence is still usable for management of the asset.

If neither Number nor HouseSequence is included, the ContentSequenceInfo-type based element should not be included.

Element	Attribute	Definition	Value	Card.
<b>ContentSequenceInfo-type</b>				
Number		Where it fits in sequence (e.g., episode 1 is "1"). Start with 1. If it is the only one in the sequence, it is numbered 1. Generally, sorting is done by Number.	xs:int	
HouseSequence		Identifier used internally for the asset. This might not be ordered the same as Number. The original may use this value however seen fit. This is sometimes called Production ID.	xs:string	0..1

## 4.2 Composite Object

A Composite Object is a grouping outside of the structure of Basic Metadata (i.e., Parent definitions). Composite Objects may include metadata, either by inclusion or reference. The md:CompObj-type is designed as a simple list of entries. It is intended for inclusion within other structures. The md:CompObjData-type is a more standalone structure that has an ID and a DisplayName field at the top level, and then the entries. Lists of entries are ordered. For example, if the entries are season premieres of a given show, they can be ordered in season order; and that ordering should be preserved.

## 4.2.1 CompObj-type

Element	Attribute	Definition	Value	Card.
<b>CompObj-type</b>				
Entry		An individual entry in the compound object. The list is ordered.	md:CompObjEntry-type	1..n

## 4.2.2 CompObjID-type

This is a simple type of type md:id-type that can be used to assign a unique identifier.

## 4.2.3 CompObjData-type

Element	Attribute	Definition	Value	Card.
<b>CompObjData-type</b>			md:CompObj-type	(extension)
	CompObjID	Identifier for this compound object	md:CompObjID-type	0..1
DisplayName		A description of the Compound Object. There may be one entry per language.		0..n
	language	Language of the DisplayName in accordance with encoding described in Section 3.1.	xs:language	0..1

## 4.2.4 Comp-ObjEntry-type

Element	Attribute	Definition	Value	Card.
<b>CompObjEntry-type</b>				
DisplayName		A description of the Composite Object. There may be one entry per language.		0..n
	language	Language of the DisplayName in accordance with encoding described in Section 3.1.	xs:language	0..1



Entry		An individual entry in the compound object. The list is ordered.	md:CompObjEntry-type	0..n
ContentID		Content ID for item in the Composite Object. It is assumed the metadata associated with this ContentID is available, and this field is used as an optimization to avoid repeating metadata.	md:ContentID-type	(choice)
BasicMetadata		Basic Metadata for the entry.	md:BasicMetadata-type	(choice)

Metadata is included either by inclusion (use of **BasicMetadata** element) or by reference (use of **ContentID** element). Use of **ContentID** is an optimization for situations where the metadata for that **ContentID** is already provided.

## 5 DIGITAL ASSET METADATA

Digital Asset Metadata describes includes relating to the Physical Asset that is distinct from the Logical Asset.

### 5.1 Digital Asset Metadata Description

A Digital Asset has certain properties that are not general to the Logical Asset and are therefore distinct from Basic Metadata. Digital Asset Metadata describes these properties. These data are distinct from Basic Metadata. The set of Digital Asset Metadata does not attempt to include all possible data about the Asset, only a subset of those most useful.

Metadata includes:

- Audio/video Encoding information
- Resolution, codec, frame rate, max bitrate

### 5.2 Definitions

#### 5.2.1 DigitalAssetMetadata-type

Element	Attribute	Definition	Value	Card.
<b>DigitalAssetMetadata-type</b>				
Audio		Metadata for an audio asset	md:DigitalAssetAudioData-type	(choice)
Video		Metadata for a video asset	md:DigitalAssetVideoData-type	(choice)
Subtitle		Metadata for subtitles	md:DigitalAssetSubtitleData-type	(choice)
Image		Metadata for Images	md:DigitalAssetImageData-type	(choice)

#### 5.2.2 DigitalAssetAudioData-type

Element	Attribute	Definition	Value	Card.
<b>DigitalAssetAudioData-type</b>				
Description		Description of the track. Description should be in the language given by the "Language" element below.	xs:string	0..1

Type		The type of track. See Audio Track Encoding. If not present, track is assumed to be 'primary'.	xs:string	0..1
Language		Language for the audio track as defined in Section 3.1.	xs:language	
	dubbed	If present and true, indicates Language is dubbed audio.	xs:boolean	0..1
Encoding		Audio encoding information. If CODEC is not known, this should not be included.	md:DigitalAssetEncoding-type	0..1
Channels		Number of audio channels, either as an integer (e.g., 2) or of the form x.y where x is full channels, and y is limited channels (e.g. "5.1")	xs:string	
TrackReference		Track cross-reference to be used in conjunction with container-specific metadata (md:ContainerSpecific-type).	xs:string	0..1

### 5.2.2.1 Type Encoding

If Type is present, it should have one of the following values:

- 'primary' – primary audio track. There may be multiple primary tracks, with one for each language
- 'narration' - The visually impairment associated service is a complete program mix containing music, effects, dialogue, and additionally a narrative description of the picture content. The narration service may be coded using multiple channels. A Descriptive Video Service® (DVS®) track is a narration track.
- 'dialogcentric' - The hearing impaired associated service is a complete program mix containing music, effects, and dialogue with dynamic range compression. The dialogcentric service may be coded using multiple channels.
- 'commentary' – Commentary on the video. May be paired with a PIP.
- 'other' – not one of the above

## 5.2.3 DigitalAssetAudioEncoding-type

Element	Attribute	Definition	Value	Card.
DigitalAssetAudioData-type				
Codec		Name of supported codec. See Codec encoding below.	xs:string	
CodecType		Formal reference identification of CODEC. See below	xs:string	0..n
BitrateMax		Bitrate (bits/second)	xs:integer	0..1
SampleRate		Sample Rate (samples/second)	xs:integer	0..1
SampleBitDepth		Number of bits per audio sample	xs:integer	0..1

### 5.2.3.1 Audio CODEC Encoding

The following values should be used for elementary stream CODECs listed. “Other” should be used if the CODEC is not on the list. This list may be expanded over time.

- ‘AAC’ – Advanced audio CODEC
- ‘AAC-LC’
- ‘AAC-LC+MPS’
- ‘AAC-SLS’
- ‘AC-3’ – Dolby Digital, AC-3
- ‘AIFF’ – Audio Interchange File Format (when specific CODEC is not known)
- ‘ALAC’ – Apple Lossless Audio Codec
- ‘AMR’ – Adaptive MultiRate
- ‘DOLBY-TRUEHD’
- ‘DSD’ – Direct Stream Digital
- ‘DST’ – Direct Stream Transfer
- ‘DTS’ – DTS CODEC
- ‘DTS-ES’ – DTS ES (Extended Surround)
- ‘DTS-EXPRESS’ – DTS Express Audio
- ‘DTS-HRA’ – DTS-HD High Resolution Audio
- ‘DTS-96/24’ – DTS 96/24
- ‘DTS-MA’ – DTS-HD Master Audio

- ‘E-AC-3’ – Enhanced AC3, Dolby Digital Plus (DD+)
- ‘FLAC’ – Free Lossless Audio Codec
- ‘HE-AACv2’ – High Efficiency AAC v2
- ‘LPAC’ – Lossless Predictive Audio Compression
- ‘LTAC’ – Lossless Transform Audio Compression
- ‘MP3’ – MPEG 1 Layer 3
- ‘MPEG1’ – MPEG1 Layer 2
- ‘MPEG-4-ALS’
- ‘MLP’ – Meridian Lossless Package
- ‘PCM’ – Pulse Code Modulation, or Linear PCM
- ‘QCELP’ - Qualcomm Code Excited Linear Prediction
- ‘RealAudio-Lossless’ – Real Networks’ lossless format
- ‘Vorbis’ – Ogg Vorbis
- ‘WAV’ – used when specific CODEC (e.g., PCM) is unknown or not listed
- ‘WMA’ – Windows Media Audio
- ‘WM9-lossless’

### 5.2.3.2 CodecType Encoding

CodecType allows a more formal encoding of CODEC type based on formal registries. CodecType takes the form

<namespace> + ‘:’ + <codec type>

<namespace> is accordance with the following table:

Namespace	Definition	Reference for <codec type>
mpeg4ra	MPEG 4 Registration Authority	<a href="http://www.mp4ra.org/codecs.htm">http://www.mp4ra.org/codecs.htm</a>
IANA	Internet Assigned Numbers Authority (IANA) Audio Media Types	<a href="http://www.iana.org/assignments/media-types/audio/">http://www.iana.org/assignments/media-types/audio/</a>
rfc4281	CODEC encoded in according with RFC4281	<a href="http://www.ietf.org/rfc/rfc4281.txt">http://www.ietf.org/rfc/rfc4281.txt</a>

Only one entry per namespace is allowable.

## 5.2.4 DigitalAssetVideoData-type

Element	Attribute	Definition	Value	Card.
<b>DigitalAssetVideoData-type</b>				
Description		Description of this video track	xs:string	0..1
Type		Type of video track. If Type is missing, 'primary' is assumed. See Video Track Type encoding below.	xs:string	0..1
Encoding		Details on Video Encoding. If CODEC is unknown, this element should not be included.	md:DigitalAssetVideoEncoding-type	0..1
Picture		Picture description	md:DigitalAssetVideoPicture-type	
ColorType		Color type of video. Note that Color Type is also included in descriptive metadata, however, this provides information down to the individual stream.	md:ColorType-type	
SubtitleLanguage		Indicates the presence of subtitles embedded in the video stream, either closed (e.g., EIA-608B) or rendered into the video. This is distinguished from subtitles handled via separate tracks. Subtitles in separate tracks should be included in DigitalAssetMetadata-type's Subtitle element. Language encoding is defined in Section 3.1.	xs:language	0..1
	closed	Indicates whether captions are closed.	xs:boolean	0..1
TrackReference		Track cross-reference to be used in conjunction with container-specific metadata (md:ContainerSpecific-type).	xs:string	0..1

### 5.2.4.1 Video Type Encoding

Type, if present, should have one of the following values:

- 'primary' – primary video track. Whether or not this has burned-in subtitled is determined by the presence of the SubtitleLanguage element
- 'overlay' – PIP or other overlay track, intended for use with a 'primary' track
- 'angle' – alternate angle track
- 'other' - not one of the above

### 5.2.5 DigitalAssetVideoEncoding-type

Element	Attribute	Definition	Value	Card.
DigitalAssetVideoEncoding-type				
Codec		CODEC used. See Video CODEC Encoding below.	xs:string	
CodecType		Formal reference identification of CODEC. See below	xs:string	0..n
MPEGProfile		MPEG Profile	xs:string	0..1
MPEGLevel		MPEG Level (e.g., "3", "4", "1.3")	xs:string	0..1
BitrateMax		Bitrate (bits/second)	xs:integer	0..1

#### 5.2.5.1 Video CODEC Encoding

The following values should be used for elementary stream CODECs listed. ‘Other’ should be used if the CODEC is not on the list. This list may be expanded over time.

- ‘AVI Uncompressed’
- ‘CineForm HD’
- ‘DIVX’
- ‘DV’ – DV, including variants such as DVCPRO, DVCAM, etc.
- ‘H.264’ – H.264, MPEG-4 Part 10
- ‘JPEG2000’ – JPEG 2000, ISO/IEC 15444
- ‘MOBICLIP’ – Actimagine’s Mobiclip CODEC
- ‘MPEG1’ – MPEG 1 Part 2
- ‘MPEG2’ – MPEG 2 Part 2
- ‘On2’ – On2 CODEC when not VP6, VP7 or VP8, or exact CODEC is unknown.
- ‘PHOTOJPEG’
- ‘PRORES’ – Apple ProRes
- ‘PRORESHQ’ – Apple ProRes HQ
- ‘PRORES422’ – Apple ProRes 422
- ‘QT Uncompressed’ – Apple QuickTime Uncompressed

- ‘REAL’ – RealNetworks’ RealVideo
- ‘Spark’ – Sorenson Spark
- ‘SVQ’ – Sorenson Video Quantizer
- ‘WMV’ – Windows Media Video when not WMV7, WVM8 or WMV9 or exact CODEC is unknown
- ‘WMV7’ – Windows Media Video 7
- ‘WMV8’ - Windows Media Video 8
- ‘WMV9’ – Windows Media Video 9
- ‘VC1’ – Microsoft VC-1
- ‘VP6’ – On2 VP6
- ‘VP7’ – On2 VP7
- ‘VP8’ – On2 VP8
- ‘XVID’ – Xvid
- ‘OTHER’ – not one of the above.

### 5.2.5.2 CodecType Encoding

CodecType allows a more formal encoding of CODEC type based on formal registries. CodecType takes the form

`<namespace> + \:’ + <codec type>`

`<namespace>` is accordance with the following table:

Namespace	Definition	Reference for <codec type>
mpeg4ra	MPEG 4 Registration Authority	<a href="http://www.mp4ra.org/codecs.htm">http://www.mp4ra.org/codecs.htm</a>
IANA	Internet Assigned Numbers Authority (IANA) Audio Media Types	<a href="http://www.iana.org/assignments/media-types/audio/">http://www.iana.org/assignments/media-types/audio/</a>

Only one entry per namespace is allowable.



## 5.2.6 DigitalAssetVideoPicture-type

Element	Attribute	Definition	Value	Card.
DigitalAssetVideoPicture-type				
AspectRatio		Aspect ratio of picture. Note that this is not necessarily the original aspect ratio. These will be of the form n:m, for example, "16:9". The following should be used for the respective standard encoding: "16:9" "4:3", "1.85:1", "2.35:1", "1:1", etc..	xs:string	
PixelAspect		Class of pixel aspect ratios	xs:string "square" "NTSC": "PAL" "other"	0..1
WidthPixels		Number of columns of pixels encoded (e.g., 1920)	xs:int	0..1
HeightPixels		Number of rows of pixels encoded (e.g., 1080)	xs:int	0..1
ActiveWidthPixels		Number of active pixels. Must be less than or equal to HeightPixels.	xs:int	0..1
ActiveHeightPixels		Number of active pixels. Must be less than or equal to WidthPixels.	xs:int	0..1
FrameRate		Frames/second. If interlaced, use the frame rate (e.g., NTSC is 30).	xs:int	0..1
	multiplier	This attribute indicates whether the 1000/1001 multiple should be applied. There is only one legal value for this attribute which is "1000/1001". If present, then apply 1000/1001 multiplier to FrameRate. For example, a FrameRate of 30 with multiplier='1000/1001' defines an actual frame rate of 29.97. If the frame rate is integral, this attribute shall not be present	xs:string "1000/1001"	0..1
Progressive		Whether image is progressive. "true"=progressive, "false"=interlaced	xs:boolean	0..1
Type3D		Type of 3D picture. Encoding currently undefined.	xs:string	0..1

### 5.2.7 DigitalAssetSubtitleData-type

Element	Attribute	Definition	Value	Card.
DigitalAssetSubtitleData-type				
Format		Format of subtitle. See Subtitle Format Encoding below.	xs:string	
	SDImage	Are subtitle images targeted towards SD included? 'true' means yes, 'false' or absent means no. This only applies if Format is 'Image' or 'Combined'	xs:boolean	0..1
	HDImage	Are subtitle images targeted towards HD included? 'true' means yes, 'false' or absent means no. This only applies if Format is 'Image' or 'Combined'	xs:boolean	0..1
Description		Description of this subtitle track. Description is in the language of the Language element.	xs:string	0..1
Type		Intended purpose or purposes of subtitle	xs:string	1..n
FormatType		Identification of subtitle format. See below	xs:string	0..1
Language		Language. See Language Encoding in Section 3.1.	xs:language	
TrackReference		Track cross-reference to be used in conjunction with container-specific metadata (md:ContainerSpecific-type).	xs:string	0..1

#### 5.2.7.1 Subtitle Type Encoding

Type describes the intended use or uses of the subtitle. If the track has more than one intended use, then multiple instances of Type must be included. For example, a single track might be used for both 'normal' and 'SDH' uses.

The following values may be used:

- 'normal' – subtitle used for languages
- 'SDH' – Subtitles for deaf and hard-of-hearing.
- 'large' – subtitles for visually impaired
- 'forced' – used to indicate subtitles is required regardless of whether the user has enabled subtitles. The correct language subtitle track must be chosen. Often referred to as 'forced captions.' A Type of 'forced' must only be used in conjunction with other Type instances, when the track contains a mix of forced

---

and non-forced subtitles. Generally, when ‘forced’ is used it is the only instance of Type.

- ‘commentary’ – commentary, such as associated with a commentary audio track.
- ‘other’ – subtitles for commentary, or other purposes.

#### 5.2.7.2 Subtitle Format Encoding

It is anticipated that IANA or others will provide a registry for subtitle encoding schemes. At that time, this section will be revised to reflect a more standard means of describing the subtitle. In the meantime, the following values may be used for Subtitle /Format:

- ‘Text’ – text subtitle
- ‘Image’ – image/picture data
- ‘Combined’ – Subtitle encoding that includes both text and image

#### 5.2.7.3 FormatType Encoding

FormatType may be one of the following:

- ‘3GPP’ – 3GPP Timed Text, MPEG 4 Part 17 Timed Text, ISO/IEC 14496-17.
- ‘Blu-Ray’
- ‘DCI’ – DCI Subtitle, SMPTE 428-7-2007 D-Cinema Distribution Master - Subtitle
- ‘DVB’ – DVB Subtitling, *ETSI 300 743 ‘Digital Video Broadcasting (DVB); Subtitling systems (2006-11)’*
- ‘DVD’
- ‘SMPTE 21052-1 Timed Text’ – Timed Text Format (SMPTE-TT), SMPTE ST 2052-1:2010
- ‘SRT’ – SRT Subtitles
- ‘TTML’ – W3C Timed Text Markup Language (TTML) 1.0, W3C Recommendation 18 November 2010. <http://www.w3.org/TR/ttaf1-dfxp/>
- ‘WebVTT’ – WebVTT (Web Video Text Tracks)

### 5.2.8 DigitalAssetImageData-type

Element	Attribute	Definition	Value	Card.
DigitalAssetImageData-type				
Width		Number of columns of pixels (e.g., 1920)	xs:int	
Height		Number of rows of pixels (e.g., 1080)	xs:int	
Encoding		MIME type indicating encoding method	xs:string	
TrackReference		Track cross-reference to be used in conjunction with container-specific metadata (md:ContainerSpecific-type).	xs:string	0..1

### 5.2.9 DigitalAssetInteractiveData-type

Element	Attribute	Definition	Value	Card.
DigitalAssetInteractiveData-type				
Type		Type of interactive track (TBD).	xs:string	
Language		Language. See Language Encoding in Section 3.1.	xs:language	
TrackReference		Track cross-reference to be used in conjunction with container-specific metadata (md:ContainerSpecific-type).	xs:string	0..1

#### 5.2.9.1 Interactive Data Type Encoding

There is currently no enumeration for Interactive Data.

## 6 CONTAINER METADATA

The Container Metadata describes the container that includes the various media pieces and the glue that holds them together.

### 6.1 Container Metadata Description

Logically speaking, the container holds a collection of tracks as described using `md:DigitalAssetMetadata-type`. The container packages these data in accordance with the rules for that container type, defined with the `md:ContainerType` element.

Often, the container type definition alone is not enough information to access the media in the container. `md:ContainerSpecificMetadata` may be included to provide any additional necessary information. Container-specific metadata definitions are not included in this version of the specification, so the `xs:any` type is used.

If `ContainerSpecificInformation` is provided, the `md:TrackRef` elements in the Digital Asset Metadata types may be used to cross reference. For example, container-specific metadata may map an MPEG-2 transport stream PID to a given Track.

### 6.2 Definitions

#### 6.2.1 ContainerMetadata-type

This type describes a container that in turn contains one or more audio, video, subtitle or image tracks.

Element	Attribute	Definition	Value	Card.
<b>ContainerMetadata-type</b>				
ContainerType		Identification of container type	<code>md:DigitalAssetContainerType-type</code>	0..1
Track		Track metadata.	<code>md:DigitalAssetMetadata-type</code>	1..n
ContainerSpecificMetadata		Additional information about the content and structure of the container. In the future, container-specific information will be provided.	<code>xs:any</code>	0..1

##### 6.2.1.1 Container Type encoding, ContainerType-type

Container type is of simple type `ContainerType-type` that is `xs:string`.

---

It may contain one of the following values:

- ‘3GP’ – Third Generation Partnership Project (3GPP) file format
- ‘3GP2’ – 3GPP2 file format
- ‘AC3’ – Dolby Digital file
- ‘AIFF’ – Audio Interchange File Format
- ‘ASF’ – Microsoft Advanced Streaming Format
- ‘AVI’ – Microsoft Audio Video Interleave, also includes AVI 2.0
- ‘DIVX’ – DivX movie file
- ‘DTS’ – DTS encoded file
- ‘FLV’ – Flash Video File
- ‘HCT’ – Hectavision File
- ‘ISO’ – ISO Container ISO/IEC 14496-12, when not specified in a more specific fashion (e..g, MP4)
- ‘JPEG’ – JPEG image file
- ‘M4V’ – Apple M4V
- ‘MJ2’ – JPEG 2000 file format; ‘ISO’ containing JPEG 2000
- ‘MP4’ – MPEG-4 Part 14, ISO/IEC 14496-14:2003
- ‘MKV’ – Matroska multimedia container
- ‘MPEG-2 (TS)’ – MPEG-2 Transport stream
- ‘MPEG-2 (PS)’ – MPEG-2 Program Stream
- ‘MXF’ – SMPTE MXF file
- ‘Ogg’ – Xiph.Org file format for Vorbis and Theora
- ‘Quicktime (MOV)’ – Apple QuickTime movie file
- ‘PNG’ – Portable Network Graphics (PNG) file
- ‘RIFF’ – Resource Interchange File Format
- ‘RM’ – RealNetwork’s RealMedia file format
- ‘SWF’ – Adobe Shockwave Flash
- ‘TIFF’ – tagged image file format
- ‘WMV’ – Microsoft WMV file
- ‘VOB’ – DVD Video Object file
- ‘XMF’ – XMF music file (MIDI)
- ‘ZIP’ – ZIP file

- 'other'

If the format is not in this list, it is acceptable to include the Windows file extension. When using this form, precede with 'EXT:'. For example, 'EXT:DXR' for Macromedia Director Movie File (.dxr file extension).

Standard encoding is preferred and will be investigated.

## 6.2.2 ContainerProfile-type

`ContainerProfile-type` is defined as `xs:string`. It may be used to specify a profile for a given container. There are no enumerations currently defined.

---

## 7 CONTENT RATINGS

Common Metadata supports content advisory based on formal ratings systems along with an “Adult only” flag for non-rated adult material and to allow limited cross-system blocking of content.

### 7.1 Description

Ratings are of the form: Region/System/Rating/Reason. There is also type (e.g., Film, TV and Music) but this is generally subsumed by the System and implicit in the content (exceptions are handled).

### 7.2 Rules

There is no implied cross-mapping between advisory systems.

#### 7.2.1 “Unrated”

‘Unrated’ literally means that this particular media instance has not been rated. This frequently means that a work has never been self-rated or submitted to a ratings body, either because of the nature of the work (e.g., a sporting event) or for budgetary reasons.

‘Unrated’ is also used as a marketing term to reflect a work that contains additional material, generally implied as material that would change the rating, often represented something like, “*The Unrated Edition*”.

The rating system does not distinguish between the two. However, as a best practice, if the unrated work is derived from a rated work, the parent work should be included in the Parent element of the BasicMetadata-type with a relationshipType attribute of ‘isderivedfrom’. Although the content is still unrated, the recipient will have additional information on how they may wish to classify the work.

### 7.3 Definition

This section specifies the structure that can include a complete content rating set for a title.

#### 7.3.1 ContentRating-type

This element describes content-specific parental control information as provided by the content owner or rating agency.

NotRated and RatingsMatrix are an XSD ‘choice’. If NotRated is chosen, it must be ‘true’. NotRated is used if there are no other ratings.

The absence of a rating in a particular system does not necessarily imply the content is unrated. However, in most cases it can assumed that it is unrated. Specifications based on Common Metadata should include a requirement that all relevant ratings be included if available.



Element	Attribute	Definition	Value	Card.
<b>ContentRating-type</b>				
NotRated		Has the content never been rated? 'true'=not rated. Must be 'true' if included.	xs:boolean	(choice)
	condition	An indication of the nature of the unrated status.	xs:string	0..1
Rating		Rating information	md:ContentRatingDetail-type	(choice) 1..n
AdultContent		Should content be blocked for all non-adult viewers? 'true'= yes. 'false' or absent means no. There is no formal definition of 'adult' content, and this represents the judgment of the originator.	xs:boolean	0..1

NotRated is distinguished from “unrated”. As mentioned above, the term “unrated” is often used as a marketing term. “unrated” may be used as a keyword to indicate this type of version.

### 7.3.1.1 Condition encoding

Condition is an indication of why the work is unrated. If condition is absent, no conclusions can be drawn regarding why work is unrated.

If the BasicMetadata-type element has a parent element and condition is included, the values shall be one of the following:

- ‘higher’ – The intent is for the work to have a rating higher than or equal to the parent’s rating. This is typically used for the “Unrated Edition” edits.
- ‘neutral’ –The work was not explicitly rated, but is intended to have the same rating as its parent object.
- ‘lower’ – The work is derived in such a way as to lower the rating. The intent is for the work to have a rating lower than or equal to the parent’s rating. This would be typical of TV or airplane edit. This would also apply to edits for particular cultural or religious sensitivities.

If the BasicMetadata-type element does not have a parent element and condition should not be included. This can be interpreted as “never rated.”

### 7.3.2 **ContentRatingDetail-type**

This element describes content-specific parental control information as provided by the content owner or rating agency.

Values come from Section 8, “Content Rating Encoding”. Values should be exactly as entered in the table in Section 8.

Element	Attribute	Definition	Value	Card.
<b>ContentRatingDetail-type</b>				
Region		Country/Region. Uses region encoding	md:Region-type	
System		Rating System	xs:string	
Value		Rating Value	xs:string	
Reason		Rating Reason. Only one Reason per element (i.e., either “L” or “V”, but not “LV”.)	xs:string	0..n
LinkToLogo		If there is an image associated with this rating, the link may be provided	xs:anyURI	0..1
Description		A string associated with the rating, such as, “Rated PG For mild thematic elements and brief smoking”	xs:string	0..1

## 8 CONTENT RATING ENCODING

Region	Type	System	Ratings	Reason	Reference
Argentina	Film	INCAA	ATP 13 16 18 X	A    S	<a href="http://www.incaa.gov.ar">www.incaa.gov.ar</a>
Australia	TV	ACMA	P C G PG M MA15+ AV15+	A V L S H D N SN M W B	<a href="http://www.acma.gov.au">www.acma.gov.au</a>
Australia	Film	OFLC	E G G8+ PG M MA15+ R18+ X18+		Classification Review Board <a href="http://www.classification.gov.au">www.classification.gov.au</a>
Austria	Film	BMUKK	Altersstufen 6 10 12 14 16 E		<a href="http://www.bmukk.gv.at">www.bmukk.gv.at</a>
Belgium	Film  DVD	CICF/lvF	KT KNT E		<a href="http://www.terramedia.co.uk/law/film_classification_schemes.htm">www.terramedia.co.uk/law/film_classification_schemes.htm</a>
Brazil	Film & TV	DJCTQ	ER L 10 12 14 16 18 E	A L S V N D	<a href="http://www.mj.gov.br">www.mj.gov.br</a>

Region	Type	System	Ratings	Reason	Reference
Bulgaria	Film	NFRC	A B C D X E	Children, educational  A	National Film Rating Committee <a href="http://www.absoluteastronomy.com/topics/Motion_picture_rating_system">www.absoluteastronomy.com/topics/Motion_picture_rating_system</a>
Canada	TV	CBSC	C C8 G PG 14+ 18+ E		<a href="http://www.cbsc.ca">www.cbsc.ca</a>
Canada British Columbia Saskatchewan Yukon	Film	BCFCO	G PG 14A 18A R A		British Columbia Film Classification Office <a href="http://www.bcfilmclass.com/">www.bcfilmclass.com/</a>
Canada Alberta Northwest Territories Nunavut	Film	Alberta	G PG 14A 18A R A		Alberta Film Ratings <a href="http://www.albertafilmratings.ca/">www.albertafilmratings.ca/</a>
Canada Manitoba	Film	MFCB	G PG 14A 18A R		Manitoba Film Classification Board <a href="http://www.gov.mb.ca/chc/mfcb/">www.gov.mb.ca/chc/mfcb/</a>
Canada Ontario	Film	OFRB	G PG 14A 18A R		Ontario Film Review Board <a href="http://www.ofrb.gov.on.ca/english/default.htm">www.ofrb.gov.on.ca/english/default.htm</a>
Canada Quebec	Film	Quebec	G 13+ 16 + 18 +		Regie du cinema du Quebec <a href="http://www.rcq.qc.ca/mult/home.asp?lng=en">www.rcq.qc.ca/mult/home.asp?lng=en</a>

Region	Type	System	Ratings	Reason	Reference
Canada Nova Scotia New Brunswick Prince Edward Island	Film	Maritime	G PG 14 14A 18 18A R A E NA XXX		Maritime Film Classification Board <a href="http://www.gov.ns.ca/lwd/agd/film/rating/guidelines.asp">www.gov.ns.ca/lwd/agd/film/rating/guidelines.asp</a>
Canada	Game	ESRB	C E E10 M A T RP		Entertainment Software Ratings Board <a href="http://www.esrb.org">www.esrb.org</a>
Chile	TV	ANATEL	I 17 I12 F R A		<a href="http://www.anatel.cl">www.anatel.cl</a>
Chile	Film	CCC	TE 14 18 18S 18V	S S V	Council of Cinematographic Classification <a href="http://www.filmnacional.cl">www.filmnacional.cl</a>
Colombia	Film	MoC	T 7 12 16 18 X Banned  E	P	<a href="http://www.mincultura.gov.co">www.mincultura.gov.co</a>
Czech Republic	Film	Film	U 12 15 18		
Denmark	TV	TV	Green Yellow Red		
Denmark	Film	MCCYP	A 7 11 15		Medieradet <a href="http://www.medieraadet.dk/html/gb/classification_gb.htm">www.medieraadet.dk/html/gb/classification_gb.htm</a>

Region	Type	System	Ratings	Reason	Reference
Egypt	Film	Film	G A E		
Estonia	Film	Film	Pere L MS-6 MS12 K12 K14 K16 K6		
European Union	Games	PEGI	3 7 12 16 18		<a href="http://www.pegi.info/en/index/id/33/">www.pegi.info/en/index/id/33/</a>
FinlanSd	Film	FBFC	K3 K7 K11 K13 K15 K18 KE		Finnish Board of Film Classification <a href="http://www.vet.fi">www.vet.fi</a>
Finland		VET	3 7 11 15 18		<a href="http://www.vet.fi">www.vet.fi</a>
Finland		PEGI	3+ 7+ 11+ 15+ 18+		<a href="http://www.vet.fi">www.vet.fi</a>
France	TV	CSA	10 12 16 18		<a href="http://www.csa.fr">www.csa.fr</a>
France	Film	MoC	U 10 12 16 18	P V	Ministry of Culture <a href="http://www.culture.gouv.fr">www.culture.gouv.fr</a>

Region	Type	System	Ratings	Reason	Reference
Germany	Film	FSK	FSK 0 FSK 6 FSK 12 FSK 16 FSK 18 Keine Jugendfreigabe SPIO/JK		<a href="http://www.spio.de">www.spio.de</a>
Germany	Games	USK	ALL AGES 6+ 12+ 16+ 18+		<a href="http://www.usk.de">www.usk.de</a>
Greece	Film	Flim	K K13 K17 E	V D P	
Hong Kong	Film	TELA	I IIA IIB III	PG	Television and Entertainment Licensing Authority <a href="http://www.tela.gov.hk">www.tela.gov.hk</a>
Hungary	Film	Film	KN 12 16 18		National Film Office <a href="http://www.nemzetifilmiroda.hu/start_en.html">www.nemzetifilmiroda.hu/start_en.html</a>
Iceland	Film	Smais	L 7 12 14 16 18		<a href="http://www.smais.is/template25024.asp?PageID=4636">www.smais.is/template25024.asp?PageID=4636</a>
India	Film	CBFC	U U/A A S		<a href="http://www.cbfcindia.tn.nic.in">www.cbfcindia.tn.nic.in</a>
Indonesia	Film	LSF	SU A BO R D		Lembaga Sensor Film <a href="http://www.lsf.go.id">www.lsf.go.id</a>
Ireland	TV	RTE	GA CH YA PS MA		<a href="http://www.rte.ie">www.rte.ie</a>

Region	Type	System	Ratings	Reason	Reference
Ireland	Film	IFCO	G PG 12A 15A 16 18	V S A	<a href="http://www.ifco.ie">www.ifco.ie</a>
Ireland	DVD	IFCO	G PG 18		<a href="http://www.ifco.ie">www.ifco.ie</a>
Israel	Film	Film	16 18 PG X		
Italy	Film	Film	T VM14 VM18 X		Commissione di Revisione Cinematografica
Italy	TV	TV	Green Yellow Red Red+VM14		
Japan	Film	EIRIN	G PG-12 R-15 R-18		<a href="http://www.eirin.jp">www.eirin.jp</a>
Japan	Games	CERO	A B C D Z		<a href="http://www.cero.gr.jp">www.cero.gr.jp</a>
Latvia	Film	NFC	V VP-10 VP-12 N-12 N-14 N-16 N-18		<a href="http://www.nfc.lv">www.nfc.lv</a>
Malaysia	Film & TV	Film	U PG-13 18SG 18SX 18PA 18PL		Film Censorship Board



Region	Type	System	Ratings	Reason	Reference
Maldives	Film & TV	NBC	G PG 12+ 15+ 18+ 18+R PU		<a href="http://www.nbc.gov.mv">www.nbc.gov.mv</a>
Malta	Film	KRS	U PG 12 14 16 18		Board of Film & Stage Classification <a href="http://www.doi.gov.mt/EN/bodies/boards/film.asp">www.doi.gov.mt/EN/bodies/boards/film.asp</a>
Mexico	Film & TV	RTC	AA A B B-15 C D		<a href="http://www.rtc.gob.mx">www.rtc.gob.mx</a>
Netherlands	Film & TV	Kijkwijzer	AL 6 9 12 16	Vi S S D D L	<a href="http://www.kijkwijzer.nl">www.kijkwijzer.nl</a>
New Zealand	Film & TV	OFLC	G PG M R13 R15 R16 R18 RP13 RP16 R		Office of Film & Literature Classification <a href="http://www.censorship.govt.nz">Māori: Te Tari Whakaropu Tukuata</a> <a href="http://www.censorship.govt.nz">www.censorship.govt.nz</a>
Nigeria	Film	NFVCB	G PG 12 12A 15 18 RE		<a href="http://www.nfvcb.gov.ng">www.nfvcb.gov.ng</a>
Norway	Film	Medietilsynet	A 7 11 15 18		<a href="http://film.medietilsynet.no/Film/Om_aldersgrensener">film.medietilsynet.no/Film/Om_aldersgrensener</a>

Region	Type	System	Ratings	Reason	Reference
Peru	TV & Film	Film	PT PG 14 18		
Philippines	TV	MTRCB	General Patronage Parental Guidance		<a href="http://www.op.gov.ph/">http://www.op.gov.ph/</a>
Philippines	Film	MTRCB	G(P) PG-13 R R-13 R-18 X		<a href="http://www.op.gov.ph/">http://www.op.gov.ph/</a>
Poland	Film TV	KRRiT	BO GreenCircle YellowTriangle 6 7 8 9 10 12 15 18 RedCircle 21		<a href="http://www.krrit.gov.pl/bip/">http://www.krrit.gov.pl/bip/</a>  National Council of Radio Broadcasting and Television
Portugal	Film	CCE	4 6 12 16 18 P Q	P1 P2	Comissão de Classificação de Espectáculos of the Ministry of Culture. <a href="http://www.cce.org.pt/">www.cce.org.pt/</a>
Romania	Film	CNA	AG AP12 N15 IM18 IM18XXX IC		National Audiovisual Council of Romania <a href="http://www.cna.ro">www.cna.ro</a>
Korea, Republic of	Film	KMRB	All 12+ 15+ 18+ Limited		Korea Media Rating Board <a href="http://www.kmr.or.kr/">www.kmr.or.kr/</a>
Serbia	TV	RBA	12 14 16 18		Serbian Republic Broadcasting Agency <a href="http://www.rra.org.yu">www.rra.org.yu</a>

Region	Type	System	Ratings	Reason	Reference
Singapore	Film	MDA	G PG NC16 M18 R18 R21		Media Development Authority <a href="http://www.mda.gov.sg">www.mda.gov.sg</a>
Spain	Film	Film	TP 7 13 15 16 18 X		Instituto de la Cinematografía y de las Artes Audiovisuales
South Africa	TV	FPB_TV	Family PG 13 16 18 R18	V N S L P D	Film and Publication Board <a href="http://www.fpb.gov.za">www.fpb.gov.za</a>
South Africa	Film Video DVD Games	FPB	A PG 10M 10 13 16 18	V N S L P B	Film and Publication Board <a href="http://www.fpb.gov.za">www.fpb.gov.za</a>
Sweden	Film	SBB	Btl 7 11 15 Prohibited		National Board of Film Censors <a href="http://www.statensbiografbyra.se">www.statensbiografbyra.se</a>
Switzerland	Film	Film	0 6 12 16 18		Convention sur une commission nationale du film et de la protection des mineur. Effective 1 July 2011. <a href="http://www.kkjpd.ch/images/upload/091112%20Vereinbarung%20Kommission%20Jugendschutz-Film%20f.pdf">http://www.kkjpd.ch/images/upload/091112%20Vereinbarung%20Kommission%20Jugendschutz-Film%20f.pdf</a>
Taiwan	Film	GIO	General audiences Protected Parental guidance Restricted		Government Information Office <a href="http://www.gio.gov.tw">www.gio.gov.tw</a>
Thailand	Film	MFA	P G Under13 Under15 Under18		National Film Board <a href="http://www.mfa.go.th/web/2632.php">www.mfa.go.th/web/2632.php</a>

Region	Type	System	Ratings	Reason	Reference
Turks and Caicos Islands	Film	Film	U U – w/c 7 11 13 16 16 w/P 18 Banned		British Overseas Territory Rating system
United Kingdom	Film & TV	BBFC	U PG 12A 12 15 18 R18		British Board of Film Classification <a href="http://www.bbfc.co.uk">www.bbfc.co.uk</a>
United Kingdom	Games	ELSPA	3-10 11-14 15-17 18+		<a href="http://www.elspa.com">www.elspa.com</a>
United States	TV	TVPG	TV-G TV-Y TV-Y7 TV-PG TV-14 TV-MA	V S L D FV	Rating and Reason definitions are defined in [CEA-766]. Only Rating/Reason combinations specified in [CEA766], Table 3 under dimension 0-6 are allowed.
United States	Film	MPAA	G PG PG-13 R NC-17 NR M GP SMA X		<a href="http://www.mpa.org">www.mpa.org</a>
United States	Trailers	MPAAT	GB RB		<a href="http://www.mpa.org">www.mpa.org</a>
United States / Film Advisory Board	Film	FAB	C F PD PD-M EM AO	violence frightening sexual mildlang stronglang substance intense bnudity fnudity explicit erotica	<a href="http://www.filmadvisoryboard.org">www.filmadvisoryboard.org</a>

Region	Type	System	Ratings	Reason	Reference
United States	Music	RIAA	Explicit Lyrics		<a href="http://www.riaa.com">www.riaa.com</a>
United States	Games	ESRB	EC E E10+ T M AO RP		<a href="http://www.esrb.org">www.esrb.org</a>
Venezuela	TV		A B C D E		<a href="http://www.leyresorte.gob.ve">www.leyresorte.gob.ve</a>

## 9 SELECTED EXAMPLES

Following are selected examples. These and other examples will appear on the web site.

### 9.1 People Name Examples

The following example was based on this test schema

```
<xs:element name="Person-name" type="md:PersonName-type"/>
<xs:element name="People">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Person" type="md:BasicMetadataPeople-type" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

The following example covers the following people: Gorillaz, Kid n' Play, Cher, 50 Cent, MC Hammer, Dita von Teese, Marilyn Manson, Teenage Mutant Ninja Turtles, James van der Beek, Max von Sydow, Kat von D, Benjamin “Scatman” Crothers, and Peter Sellers. Note that Teenage Mutant Ninja Turtles is not a real entity and therefore will not be encoded, but it was included to test completeness.

```
<mdtest:People xsi:schemaLocation="http://www.movelabs.com/md/mdtest mdtest.xsd"
xmlns:md="http://www.movelabs.com/md" xmlns:mdtest="http://www.movelabs.com/md/mdtest"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <mdtest:Person>
    <md:Job>
      <md:JobFunction>Music Group</md:JobFunction>
      <md:JobDisplay>Band</md:JobDisplay>
    </md:Job>
    <md:Name>
      <md:DisplayName>Gorillaz</md:DisplayName>
      <md:SortName>Gorillaz</md:SortName>
    </md:Name>
    <md:Gender>neutral</md:Gender>
  </mdtest:Person>
  <mdtest:Person>
    <md:Job>
      <md:JobFunction>Other Group</md:JobFunction>
      <md:JobDisplay>Comedy Duo</md:JobDisplay>
    </md:Job>
    <md:Name>
      <md:DisplayName>Kid 'n Play</md:DisplayName>
      <md:SortName>Kid 'n Play</md:SortName>
    </md:Name>
    <md:Gender>male</md:Gender>
```

```
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Singer</md:JobFunction>
    <md:JobDisplay>Singer</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>Cher</md:DisplayName>
    <md:SortName>Cher</md:SortName>
  </md:Name>
  <md:Gender>female</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Singer</md:JobFunction>
    <md:JobDisplay>Rapper</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>50 Cent</md:DisplayName>
    <md:SortName>50 Cent</md:SortName>
    <md:FirstGivenName>Curtis</md:FirstGivenName>
    <md:SecondGivenName>James</md:SecondGivenName>
    <md:FamilyName>Jackson</md:FamilyName>
    <md:Suffix>III</md:Suffix>
  </md:Name>
  <md:Gender>male</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Singer</md:JobFunction>
    <md:JobDisplay>Rapper</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>MC Hammer</md:DisplayName>
    <md:SortName>MC Hammer</md:SortName>
  </md:Name>
  <md:Gender>male</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Dancer</md:JobFunction>
    <md:JobDisplay>Burlesque Dancer</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>Dita von Teese</md:DisplayName>
    <md:SortName>Von Teese, Dita</md:SortName>
    <md:FirstGivenName>Dita</md:FirstGivenName>
    <md:FamilyName>Von Teese</md:FamilyName>
  </md:Name>
  <md:Gender>female</md:Gender>
```

```
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Singer</md:JobFunction>
    <md:JobDisplay>Singer</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>Marilyn Manson</md:DisplayName>
    <md:SortName>Mason, Marilyn</md:SortName>
    <md:FirstGivenName>Marilyn</md:FirstGivenName>
    <md:FamilyName>Manson</md:FamilyName>
  </md:Name>
  <md:Gender>male</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Other Group</md:JobFunction>
    <md:JobDisplay>Superhero Turtles</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>Teenage Mutant Ninja Turtles</md:DisplayName>
    <md:SortName>Teenage Mutant Ninja Turtles</md:SortName>
  </md:Name>
  <md:Gender>neutral</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Actor</md:JobFunction>
    <md:JobDisplay>Actor</md:JobDisplay>
    <md:BillingBlockOrder>1</md:BillingBlockOrder>
    <md:Character>Dawson Leery</md:Character>
  </md:Job>
  <md:Name>
    <md:DisplayName>James Van Der Beek</md:DisplayName>
    <md:SortName>Van Der Beek</md:SortName>
    <md:FirstGivenName>James</md:FirstGivenName>
    <md:SecondGivenName>William</md:SecondGivenName>
    <md:FamilyName>Van Der Beek</md:FamilyName>
    <md:Suffix>Jr.</md:Suffix>
  </md:Name>
  <md:Gender>male</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Actor</md:JobFunction>
    <md:JobDisplay>Actor</md:JobDisplay>
    <md:Character>Otto Frank</md:Character>
  </md:Job>
  <md:Name>
    <md:DisplayName>Max von Sydow</md:DisplayName>
```



```

    <md:SortName>von Sydow</md:SortName>
    <md:FirstGivenName>Max</md:FirstGivenName>
    <md:FamilyName>von Sydow</md:FamilyName>
  </md:Name>
  <md:Gender>male</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Artist/Performer</md:JobFunction>
    <md:JobDisplay>Tattoo Artist</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>Kat von D</md:DisplayName>
    <md:SortName>String</md:SortName>
    <md:FirstGivenName>Kat</md:FirstGivenName>
    <md:FamilyName>von D</md:FamilyName>
  </md:Name>
  <md:Gender>female</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Singer</md:JobFunction>
    <md:JobDisplay>Scat Singer</md:JobDisplay>
  </md:Job>
  <md:Name>
    <md:DisplayName>Scatman Crothers</md:DisplayName>
    <md:SortName>Scatman Crothers</md:SortName>
    <md:FirstGivenName>Benjamin</md:FirstGivenName>
    <md:SecondGivenName>Sherman</md:SecondGivenName>
    <md:FamilyName>Crothers</md:FamilyName>
    <md:Moniker>Scatman</md:Moniker>
  </md:Name>
  <md:Gender>male</md:Gender>
</mdtest:Person>
<mdtest:Person>
  <md:Job>
    <md:JobFunction>Actor</md:JobFunction>
    <md:JobDisplay>Actor</md:JobDisplay>
    <md:BillingBlockOrder>1</md:BillingBlockOrder>
    <md:Character>Group Captain Lionel Mandrake</md:Character>
    <md:Character>President Merkin Muffley</md:Character>
    <md:Character>Dr. Strangelove</md:Character>
  </md:Job>
  <md:Name>
    <md:DisplayName>Peter Sellers</md:DisplayName>
    <md:SortName>Sellers</md:SortName>
    <md:FirstGivenName>Peter</md:FirstGivenName>
    <md:FamilyName>Sellers</md:FamilyName>
  </md:Name>
  <md:Gender>male</md:Gender>

```

```
</mdtest:Person>
</mdtest:People>
```

## 9.2 Release History Example

The following example is based on this test schema:

```
<xs:element name="ReleaseHistorySet">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="ReleaseHistory" type="md:ReleaseHistory-type" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

The following history is included:

- US Theatrical: 2008-02-08
- US Fullscreen DVD: 2008-06-17
- US Widescreen DVD: 2008-06-17
- UK Theatrical: 2008-05-30
- UK DVD: 2008-09-22

```
<mdtest:ReleaseHistorySet xsi:schemaLocation="http://www.movelabs.com/md/mdtest mdtest.xsd"
  xmlns:md="http://www.movelabs.com/md" xmlns:mdtest="http://www.movelabs.com/md/mdtest"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <mdtest:ReleaseHistory>
    <md:ReleaseType>original</md:ReleaseType>
    <md:DistrTerritory>
      <md:country>US</md:country>
    </md:DistrTerritory>
    <md>Date>2008-02-08</md>Date>
    <md>Description>US Theatrical Release</md>Description>
  </mdtest:ReleaseHistory>
  <mdtest:ReleaseHistory>
    <md:ReleaseType>DVD</md:ReleaseType>
    <md:DistrTerritory>
      <md:country>US</md:country>
    </md:DistrTerritory>
    <md>Date>2008-06-17</md>Date>
    <md>Description>US Fullscreen Edition</md>Description>
  </mdtest:ReleaseHistory>
  <mdtest:ReleaseHistory>
    <md:ReleaseType>DVD</md:ReleaseType>
    <md:DistrTerritory>
      <md:country>US</md:country>
```

```

</md:DistrTerritory>
<md>Date>2008-06-17</md>Date>
<md>Description>US Widescreen Edition</md>Description>
</mdtest:ReleaseHistory>
<mdtest:ReleaseHistory>
  <md:ReleaseType>original</md:ReleaseType>
  <md:DistrTerritory>
    <md:country>GB</md:country>
  </md:DistrTerritory>
  <md>Date>2008-05-30</md>Date>
  <md>Description>UK Theatrical Release</md>Description>
</mdtest:ReleaseHistory>
<mdtest:ReleaseHistory>
  <md:ReleaseType>DVD</md:ReleaseType>
  <md:DistrTerritory>
    <md:country>GB</md:country>
  </md:DistrTerritory>
  <md>Date>2008-09-22</md>Date>
  <md>Description>UK Release</md>Description>
</mdtest:ReleaseHistory>
</mdtest:ReleaseHistorySet>

```

### 9.3 Content Rating Examples

The following example was based on this test schema:

```
<xs:element name="RatingSet" type="md:ContentRating-type"/>
```

The following ratings are given:

- US, MPAA, PG-13
- UK, BBFC, 12
- US, TV Parental Guidelines, TV14, coarse or crude language, sexual situations and violence
- Canada/Ontario, OFRB, 14A

```

<mdtest:RatingSet xsi:schemaLocation="http://www.movielabs.com/md/mdtest mdtest.xsd"
xmlns:md="http://www.movielabs.com/md" xmlns:mdtest="http://www.movielabs.com/md/mdtest"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <md:Rating>
    <md:Region>
      <md:country>US</md:country>
    </md:Region>
    <md:System>MPAA</md:System>
    <md:Value>PG-13</md:Value>
    <md:LinkToLogo>http://www.mpa.org/_images/parental-strongly.gif</md:LinkToLogo>
  </md:Rating>
</mdtest:RatingSet>

```

```
</md:Rating>
<md:Rating>
  <md:Region>
    <md:country>GB</md:country>
  </md:Region>
  <md:System>BBFC</md:System>
  <md:Value>12</md:Value>
  <md:LinkToLogo>http://www.bbfc.co.uk/images/classification/c-12.gif</md:LinkToLogo>
</md:Rating>
<md:Rating>
  <md:Region>
    <md:country>US</md:country>
  </md:Region>
  <md:System>TVPG</md:System>
  <md:Value>TV14</md:Value>
  <md:Reason>L</md:Reason>
  <md:Reason>S</md:Reason>
  <md:Reason>V</md:Reason>
  <md:LinkToLogo>http://www.tvguidelines.org/images/tv14.jpg</md:LinkToLogo>
</md:Rating>
<md:Rating>
  <md:Region>
    <md:countryRegion>CA-ON</md:countryRegion>
  </md:Region>
  <md:System>OFRB</md:System>
  <md:Value>14A</md:Value>
  <md:LinkToLogo>http://www.ofrb.gov.on.ca/english/images/14a\_high.gif</md:LinkToLogo>
</md:Rating>
</mdtest:RatingSet>
```